

Results

KONNECT ANALYTICS bulk

Home (19391) Summary *Quality Inspection(Bulk): ...

Client: XYZ Foundation Organization: XYZ Offsite

Inspection: 1000623_sd00103 Quality plan: pc assembly

Product: 1000002_Connectors Attribute Set Instance:

Parameter: Visual

☒ Active

Record value: 200

Sample Qty: 10.00

QC Outcome(System): QC Not OK QC Outcome(User): QC Ok

Reason:

Activate Windows
Go to Settings to activate Windows.

Critical Fields

- 1) Parameter- Multiple parameters may be there for inspecting a product.This will be shown from Test Plan which the user selected for the product.
- 2) Record Value- The value that acquired in real during Inspecting the parameter need to be entered.
- 3) Total Qty- Number of quantity which are inspected.
- 4) Qc outcome (User)- If decision from the system need to changed this option can be used.For using this option need to configure in the test plan against the parameter

Critical & onetime setup fields

Non-Critical Fields

1. Sample Quantity: Sample quantity to be inspected.
 2. Reason: Reason for QC Outcome (User), being entered by user manually.
-

Serial number/Lot number (ASI)

Zoom condition's

Validation

Revision #6

Created Thu, Apr 16, 2020 4:44 AM

Updated Fri, Aug 11, 2023 1:27 PM by [Mukund Tulshiram](#)