

# Tabs

- Quality Ranges Header
- Quality Ranges>Value

# Quality Ranges Header

Home (3)

\*Quality Ranges ✕

Quality Ranges

Inserted

Client \*XYZ Foundation

Name \*

Description

Organization \*

Values

0 Records

From Value

To Value

Target Value

No Records found

## Critical Fields

1. Organization: This Field is used to select the organization
2. Name: Used to mention the Quality Range name. The name is up to 60 characters in length.

## Non-Critical Fields

1. Description: To note or describe any specifics about Quality ranges or any other important Info.

# Quality Ranges>Value

The screenshot shows a web application interface with a top navigation bar containing tabs for 'Home (3)' and '\*Quality Ranges: Quality Ra...'. Below the navigation bar is a toolbar with various icons for file operations and navigation. The main content area is titled 'Quality Ranges > Values' and includes a breadcrumb trail. The form is labeled 'Inserted' and contains several input fields: 'Client' with the value 'XYZ Foundation', 'Organization' with an asterisk, 'Quality Ranges' with the value 'Quality Range Test-1', 'From Value' (highlighted with a red border), 'To Value' (highlighted with a red border), and 'Target Value' (highlighted with a red border). Each input field has a small icon to its right.

Home (3) \*Quality Ranges: Quality Ra... x

Quality Ranges > Values

Inserted

Client \* XYZ Foundation

Organization \* \*

Quality Ranges Quality Range Test-1

From Value \*

To Value \*

Target Value \*

## Critical Fields

1. From Value: Minimum or Initial value of quality range
2. To Value: Maximum or Last value of Quality range
3. Target Value: Targeted Value of Quality range